

B. K. L. WALAWALKAR RURAL MEDICAL COLLEGE



Kasarwadi, At-Post Sawarda, Taluka Chiplun,
Dist. Ratnagiri - 415606. Maharashtra State, INDIA

Tel. : +91 02355 264636 / 264637

Fax : +91 02355 264693 Email : info@bklwrmc.com

Website : www.walawalkarmedicalcollege.com

INDEX

Sr.No.	Name of the accreditation /Recognition	Page No.
1	NABL of the laboratory [2020 (Valid till December 2022) Assessment done & Renewal certificate awaited]	2-26
2	SIROs	28
3	NABH Accreditation of the Hospital (Assessment done & Certificate awaited)	29-30
4	ISO 9001:2015 (Valid till June 2022)	31
5	Bombay Nursing Act for Hospital	32
6	FDA for Blood bank	33-34
7	Mahatma Jyotirao Phule Jan Arogya Yojana	35
8	Maharashtra Medical Council, Mumbai	36

DEAN



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**VIROLOGY RESEARCH AND DIAGNOSTIC LABORATORY,
BKL WALAWALKAR RURAL MEDICAL COLLEGE**

has been assessed and accredited in accordance with the standard

ISO 15189:2012

**"Medical laboratories - Requirements for quality and
competence"**

for its facilities at

A/P SAWARDE, CHIPLUN, RATNAGIRI, MAHARASHTRA, INDIA

in the field of

Medical Testing

Certificate Number: MC-3997

Issue Date: 09/12/2020

Valid Until:

08/12/2022

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Identity : SHRI VITHALRAO JOSHI CHARITIES TRUST

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer

DEAN



National Accreditation Board for Testing and Calibration Laboratories

Medical Testing Laboratory Preview Report

Name of Laboratory	VIROLOGY RESEARCH AND DIAGNOSTIC LABORATORY, BKL WALAWALKAR RURAL MEDICAL COLLEGE	Contact Person	PRASANNA NAKATE
Mobile	9657743899	Email	prasannanakate@gmail.com
Username	nabl018042	Application Category	Renewal of Accreditation
Accreditation Standard	ISO 15189:2012		

Instructions

Information & Instructions for completing an Application Form

- Application shall be made in the prescribed form NABL 153 only. All applied disciplines of medical testing should be covered in the same application form. The application shall consist of the following:
 - Completed application form
 - System Management Document/ Quality Manual
 - Application fees
 - NABL-131

Incomplete application, fraudulent behavior, false information and concealing the information may lead to rejection of application or termination of the assessment process.

- The applicant laboratory shall undertake to carry out its testing activities in such a way as to meet the requirement of ISO 15189:2012, NABL specific criteria, other relevant requirements of NABL and the regulatory authorities, as applicable at all times.
- Applicant laboratories are advised to ensure that the latest versions of NABL documents are available with them.
- The application fee and other necessary charges related to accreditation process is given in NABL document NABL 100 "General Information Brochure" under NABL Finance and NABL Fee Structure. NABL 100 is available on NABL website.
- Laboratories are advised to familiarize themselves with NABL 100 "General Information Brochure", NABL 216 "Procedures for Dealing with Adverse Decisions" and NABL 131 "Terms and Conditions for Obtaining and Maintaining Accreditation" before filling up this form.
- The applicant CAB shall provide photocopy of the following appropriate document(s) in support of the legal status claimed:

Type of Legal Identity	Document(s) to be submitted
Proprietorship	Bank passbook/ Account statement and PAN of the CAB
Limited Liability Partnership	Registration certificate under The Limited Liability Partnership Act, 2008
Company	Registration certificate under The Companies Act, 1956 or 2013
Societies/ Trust	Registration certificate under Societies Registration Act, 1860/ Registration under The Indian Trusts Act, 1882
Government	Gazette or Government Notification or self-Declaration on Letter head by Head of the organization

- The applicant laboratory shall provide the complete address of the location of the laboratory for which it is seeking accreditation including the PIN Code. It shall also provide any document issued by Government/local authorities in support of the address. In case the laboratory is part of a large organization/institution, then the name/number of the building, floor etc, where the laboratory seeking accreditation is located, shall be provided.
- The applicant laboratory shall intimate NABL about any change in the information provided in this application such as scope applied for accreditation, personnel, and location, etc. within 15 days from the date of change/s. (Please refer clause 6 of NABL 100 for details)
- NABL expects applicant laboratories that are to be accredited to follow the test methods as mentioned in the current National or

DEAN

International standards and as stipulated by regulatory bodies. Where such methods do not exist, other validated methods are acceptable. However, appropriate reference to method (number, etc) and the date of applicability and technique on which method is based shall be made.

10. The applicant laboratory shall participate satisfactorily in the Proficiency Testing program/QAS conducted by APAC or NABL or any other national or international accredited/ recognized PT provider. For participation in PT, refer NABL document NABL 163.
11. The laboratory shall inform NABL in advance about any reservation regarding appointment of Lead Assessor/ Assessor for the assessment, giving the basis for such reservation.
12. The applicant laboratory shall be given due notice of any intended changes relating to NABL accreditation criteria and/or accreditation procedure and will also be given such time, as in the opinion of NABL is reasonable to carry out the necessary adjustments to its procedure(s). The laboratory shall inform NABL when such adjustments have been completed.
13. The application must be filled up carefully to provide required information in such a manner that further correspondence for seeking clarifications is not required. Particularly the scope of accreditation shall be complete to indicate unambiguously:
 - a. Materials or Products tested
 - b. Component, parameter or characteristic tested/ Specific Test Performed/ Tests or type of tests performed
 - c. Test Method Specification against which tests are performed and/or the techniques/ equipment used
 - d. Range of testing/ limit of detection for each test (as applicable)
 - e. % CV (or) Measurement Uncertainty(MU) for each test (wherever applicable) at a confidence probability of 95%

14. The laboratory locations (in case more than one), tests, which the laboratory intends to cover, vide NABL accreditation must be listed clearly. The tests those are performed at site should be clearly identified in the scope of accreditation.

Note 1: Multilocation laboratory: A laboratory with more than one location in the same city with same legal identity and with overlapping scopes in different locations: The details of each location shall be explicitly mentioned in 1.1 of application form. In events where the laboratory operates from different city/ state, each laboratory shall apply separately for accreditation except those cases where safety or regulatory requirements are there for operation of the laboratory. In such cases, the laboratory shall provide the proper justification.

Note 2: Information about CAB&T's locations in other cities/states shall be provided in the Declaration Form. Accurate, complete and relevant details shall be provided.

15. .
16. The laboratory shall submit NABL 131 duly signed by the Chief of the Laboratory or his/her Authorized Representative to NABL Secretariat along with this application form. By signing NABL 131 the laboratory agrees to comply with Terms and Conditions of NABL at all times.
17. The laboratory shall offer NABL or its representative cooperation in:
 - a. undertaking any check to verify testing capability of the laboratory.
 - b. Component, parameter or characteristic tested/ Specific Test Performed/ Tests or type of tests performed, providing names of all personnel competent to report, review and authorize the release of results (Signing of test reports) of the laboratory.
 - c. Tec.offering access to relevant areas of the laboratory including primary sample collection centre(s)/facility(ies) and other means of sample collection (for example home collection), for witnessing the activity being performed.
 - d. examination of all relevant documentation and records.
 - e. interaction with all relevant personnel.
18. The laboratory shall discharge all non-conformities raised during the assessment within the stipulated time. The same shall be verified to the satisfaction of NABL. The final decision on accreditation shall rest with NABL.
19. The application shall be kept confidential (until/unless required by Law) by NABL and information obtained during the processing of application, assessment visit and grant of accreditation shall be safeguarded and dealt with impartially. The procedure for processing of application for accreditation is given in NABL 100.

I have read the above information and instructions.

Laboratory Details


DEAN

Details	Data Feeded by Lab
Name/Identification of the Laboratory	VIROLOGY RESEARCH AND DIAGNOSTIC LABORATORY, BKL WALAWALKAR RURAL MEDICAL COLLEGE
Type of Laboratory	Private
GSTIN	27AABTS7103HIZK
PAN/TAN	
Country	India
State/Province	Maharashtra
City	Ratnagiri
Landline	02355-264137
Does the laboratory operate from different locations having same legal identity within the city	No
Are you from SEZ region(Special economic zone)	No
Whether any individual or organization has provided consultancy for preparing towards NABL Accreditation	No
Whether any adverse action has been initiated/taken by NABL against the laboratory in the past years.	No
Contact Person for NABL	
Name	PRASANNA NAKATE
Designation	Laboratory Director and Professor Microbiology Department
Mobile No	9657743899
Landline No	02355-264137
Fax	02355-264181
Email	prasanmarakate@gmail.com
Category of Facility(s) Applied Under the Scope of Accreditation	
Permanent Facility	Yes
Site Facility	No
Mobile Facility	No
Parent Organization Details	
Is Lab part of an Organization?	Yes
Name of Parent Organization	Shri Vithalrao Joshi Charities Trust's (SVJCT's) BKL Walawalkar Rural Medical College
Mobile No	9921251695
Landline No	02355-264137
Fax No.	02355-264181
E-mail	info@bklwrmc.com
Legal Identity Details	
Legal Identity Name	
Legal Identity Type	Societies Act/ Indian Trust Act
Societies Act/ Indian Trust Act Certificate	Download
Type of Laboratory by Service	Open to Others
Category for Which Accreditation is Being Sought	Small Laboratories (51 - 100 patients/ day/location)
Number of Collection Centers	0
Details of primary sample collection facilities including franchise or any other source of collection sample.	No File found
Other Accreditations	
Does laboratory get samples from	
Sample Collection Centre(s)/ Facility(ies)	No
Home collection	No
Other source(s) (Other than the medical laboratory or sample collection centre/ facility)	No


 DEAN

Internal Audit and Management Review	
Start Date /Schedule of Last Internal Audit	29-10-2020
End Date /Schedule of Last Internal Audit	29-10-2020
Whether all requirements of ISO 15189:2012 covering all activities of laboratory have been audited at least once in last one year	Yes
Whether various locations (including collection centers) were covered in the audit.	Yes
Whether pre and post examination activities were included in the audit schedule.	Yes
Start Date of Last Management Review	02-11-2020
End Date of Last Management Review	02-11-2020
File Uploads	
Lab Organization Chart	Download
Parent Organization Chart	Download
Quality Manual File	Download

Disciplines (Discipline of Medical for Which Accreditation is Sought)

S. No	Discipline
1	Molecular Testing
2	Molecular Testing

Lab Location Details

Details	Data Fedded by Lab
Address	A/P SAWARDE, TALUKA - CHIPLUN, DISTRICT - RATNAGIRI
City	Ratnagiri
District	RATNAGIRI
Pin Code	415606
Contact No	9657743899
Fax No.	02355-264181
E-mail	vrdbkwh@gmail.com
Laboratory size	Small Laboratories

Accreditation Details

S. No	Materials or Products tested	Component, parameter or characteristic tested/ Specific Test Performed/ Tests or type of tests performed	Test Method Specification against which tests are performed and/or the techniques/ equipment used	Range of testing/ Limit of detection	%CV/MU($\hat{\Delta}$)	Test Performed at
Discipline: Molecular Testing						
1	Nasopharyngeal swab /oropharyngeal swab in VTM/ ET secretions / BAL in VTM	SARS CoV-2 RNA Qualitative	Real Time RT PCR (Open System)	Qualitative	NA	Permanent Facility
2	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM	H1N1 A RNA Qualitative	Real Time RT PCR (Open System)	Qualitative :Detected/Not Detected	N.A.	Permanent Facility

Organisation Details


DEAN

Details	Data Feeded by Lab
Discipline: Molecular Testing	
Employee Type	Chief Executive of the Laboratory
Name	Dr.-SUVARNA PATIL
Qualification	MBBS MD MEDICINE
Specialization	MEDICINE
Experience in Years Related to Present Work	24
Relevant Training	NA
Landline No	02355-264137
Mobile No	9921251695
Email	director.bklwmc@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person responsible for management system
Name	Dr.-NETAJI PATIL
Designation	MANAGEMENT REPRESENTATIVE
Qualification	MBBS DMRD
Specialization	RADIOLOGY
Experience in Years Related to Present Work	9
Relevant Training	NA
Landline No	02355-264137
Mobile No	9834348495
Email	dr.netajipatil1912@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person Responsible for Technical Operations
Name	Mr.-Ajit Nandoskar
Designation	Technical Officer
Qualification	BSc PGDMLT
Specialization	zoology
Experience in Years Related to Present Work	14
Relevant Training	YES
Landline No	-
Mobile No	7507440380
Email	nandoskar95@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Others
Name	Dr.-PRASANNA NAKATE
Designation	LABORATORY DIRECTOR
Qualification	MBBS MD MICROBIOLOGY
Specialization	MICROBIOLOGY
Experience in Years Related to Present Work	10
Relevant Training	YES
Remarks	TRAINING IN VIROLOGY Held at Haffkine Institute Mumbai RT-PCR TRAINING FOR COVID-19 held in July 2020 at KIMS Karad
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	Yes
Specimen Signature File	Download
Part time / Full time	Full Time



DEAN

Employee Type	Others
Name	Dr.-YOGENDRASHELKE
Designation	QUALITYMANAGER
Qualification	MBBS MD MICROBIOLOGY
Specialization	MICROBIOLOGY
Experience in Years Related to Present Work	6
Relevant Training	YES
Remarks	4 DAY TRAINING ISO 15189:2012(during 11 June to 14 June 2020)4DAY RT PCR and ELISA TRAINING HELD AT NIV Pune (DURING 10 NOV 2014 TO 15 NOV 2014) 2 DAY TRAINING COVID-19 MOLECULAR (ONLINE) BIOLOGY INCLUDING LAB & PATIENT SAFETY (DURING 1 SEPT 2020 TO 2 SEPT 2020)1 DAY TRAINING FOR RT PCR COVID 19 AT KIMS KARAD(ON 30 JULY 2020)
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	Yes
Specimen Signature File	Download
Part time / Full time	Full Time
Employee Type	Others
Name	Mrs.-SUJATA KORCHIKAR
Designation	TECHNICAL MANAGER
Qualification	MSc
Specialization	MICROBIOLOGY
Experience in Years Related to Present Work	9
Relevant Training	YES
Remarks	RT PCR TRAINING FOR COVID 19 in June 2020
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	Yes
Specimen Signature File	Download
Part time / Full time	Full Time
Employee Type	Others
Name	Mr.-AMOL VASANT KATHE
Designation	Laboratory Attendant
Qualification	BEcom
Specialization	NA
Experience in Years Related to Present Work	1
Relevant Training	NA
Remarks	
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person Responsible for Technical Operations
Name	Ms.-Pallavi Prakash Kadu
Designation	Laboratory Technician
Qualification	BSc, ADMLT
Specialization	ADMLT
Experience in Years Related to Present Work	1
Relevant Training	Yes
Landline No	-
Mobile No	9822379239
Email	pallavikadul110@gmail.com


DEAN

Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person Responsible for Technical Operations
Name	Ms.-Prachi Pedhambkar
Designation	Laboratory Technician
Qualification	BSc, ADMLT
Specialization	ADMLT
Experience in Years Related to Present Work	1
Relevant Training	Yes
Landline No	-
Mobile No	7741006989
Email	prachipedhambkr@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person Responsible for Technical Operations
Name	Ms.-Siddhi Jogale
Designation	Laboratory Technician
Qualification	BSc, ADMLT
Specialization	ADMLT
Experience in Years Related to Present Work	1
Relevant Training	Yes
Landline No	-
Mobile No	9657816829
Email	jogalesiddhi1234@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No
Employee Type	Person Responsible for Technical Operations
Name	Ms.-Sayali Santosh Chavan
Designation	Data Entry Operator
Qualification	BSc
Specialization	Information Technology
Experience in Years Related to Present Work	1
Relevant Training	Yes
Landline No	-
Mobile No	7083788276
Email	sayalischavan66@gmail.com
Is this proposed personnel authorised to review the results of examination before release (signing of test reports).	No

Equipment

Details	Data Feeded by Lab
Discipline : Molecular Testing	
Name of Equipment	Light Cycler 96 RT-PCR system
UID	BKLWRMC/VRDL/EQUIP/RT-PCR/01
Serial No	15588
Model	LC -96
Make	ROCHE
Year of Make	2020
Receipt date & date placed in Service	26 Sep 2020
Range and Accuracy	NA
Date of last Calibration	07 Jan 2022


 DEAN

Calibration Due on	08 Jan 2023
Calibrated by	External
Name of Calibration Agency	ROCHE
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCA2/01
Serial No	026/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCA2/02
Serial No	027/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCA2/03
Serial No	024/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCA2/04
Serial No	023/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External



DEAN

Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCA2/05
Serial No	025/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Biosafety Cabinet Class IIA2
UID	BKLWRMC/VRDL/EQUIP/BSCB2/01
Serial No	022/0820
Model	BSC-362424
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	13 Dec 2021
Calibration Due on	12 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Deep Freezer, -80 C
UID	BKLWRMC/VRDL/EQUIP/80DF/01
Serial No	F410JK014032
Model	U41086
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	NA
Date of last Calibration	21 Nov 2021
Calibration Due on	20 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette2 - 20 μ l (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/01
Serial No	N42618I
Model	Research Plus 2-20 μ l Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 2-20 ul At 2 ul volume setting Systematic error (inaccuracy)- 0.10% At 20 ul volume setting volume Systematic error (inaccuracy)- 0.37%
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External



DEAN

Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette2 - 20 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/02
Serial No	N42779I
Model	Research Plus 2-20Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 2-20 ul At 2 ul volume setting Systematic error (inaccuracy)- 0.69% At 20 ul volume setting volume Systematic error (inaccuracy)- 0.37%
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette20 - 200 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/03
Serial No	N19841I
Model	Research Plus 20-200Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 20-200 ul At 20 ul volume setting Systematic error (inaccuracy)- 0.22% At 200 ul volume setting volume Systematic error (inaccuracy)- 0.05 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette20 - 200 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/04
Serial No	N19724I
Model	Research Plus 20-200Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 20-200 ul At 20 ul volume setting Systematic error (inaccuracy)- 0.06% At 200 ul volume setting volume Systematic error (inaccuracy)- 0.05 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette10 - 100 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/05
Serial No	O44059I
Model	Research Plus 10-100Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020


DEAN

Range and Accuracy	Range: 10-100 ulAt 10 ul volume settingSystematic error (inaccuracy) - 0.71% At 100 ul volume settingvolumeSystematic error (inaccuracy)- 0.57 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette10 - 100 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/06
Serial No	O44206I
Model	Research Plus 10-100Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 10-100 ulAt 10 ul volume settingSystematic error (inaccuracy) - 0.74% At 100 ul volume settingvolumeSystematic error (inaccuracy)- 0.57 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Micropipette0.5 - 10 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/07
Serial No	O43517I
Model	Research Plus 0.5-10Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 0.5-10 ulAt 1 ul volume settingSystematic error (inaccuracy) :0.56% At 10 ul volume settingvolumeSystematic error (inaccuracy) :0.00 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette0.5 - 10 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/08
Serial No	O43559I
Model	Research Plus 0.5-10Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 0.5-10 ulAt 1 ul volume settingSystematic error (inaccuracy) - 0.01% At 10 ul volume settingvolumeSystematic error (inaccuracy)- 0.00 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Micropipette100 - 1000 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/09
Serial No	O40494I



DEAN


Model	Research Plus 100-1000Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 100-1000 ulAt 100 ul volume settingSystematic error (inaccuracy) : 0.52% At 1000 ul volume settingvolumeSystematic error (inaccuracy) : - 0.02 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Micropipette100 - 1000 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/10
Serial No	O40930I
Model	Research Plus 100-1000Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 100-1000 ulAt 100 ul volume settingSystematic error (inaccuracy) : 0.26 % At 1000 ul volume settingvolumeSystematic error (inaccuracy) : - 0.02 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Micropipette100 - 1000 Åµl (Single channel)
UID	BKLWRMC/VRDL/EQUIP/MPPT/12
Serial No	O34103I
Model	Research Plus 100-1000Åµl Single Channel
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	17 Oct 2020
Range and Accuracy	Range: 100-1000 ulAt 100 ul volume settingSystematic error (inaccuracy) : 0.47 % At 1000 ul volume settingvolumeSystematic error (inaccuracy) : 0.12 %
Date of last Calibration	20 Dec 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Vortex mixer
UID	BKLWRMC/VRDL/EQUIP/VRM/01
Serial No	ZGAY02463
Model	CM101plus
Make	REMI
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	0 -2500 rpm
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals


DEAN

Name of Equipment	Vortex mixer
UID	BKLWRMC/VRDL/EQUIP/VRM/02
Serial No	ZFKY36315
Model	CM101plus
Make	REMI
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	0 -2500 rpm
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Vortex mixer
UID	BKLWRMC/VRDL/EQUIP/VRM/03
Serial No	ZGHS14860
Model	CM101plus
Make	REMI
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	0 -2500 rpm
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	96 well plate centrifuge PCR plate for 2 plate
UID	BKLWRMC/VRDL/EQUIP/PTCFG/01
Serial No	040U207280481
Model	BR-PCR2200
Make	BR Biochem. Life science PVT LTD.
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	2200 - 2800 rpm, Timing range - 15 sec to 1 min 59 sec.
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Vertical autoclave (35 lit)
UID	BKLWRMC/VRDL/EQUIP/AUCLV/01
Serial No	05/0820
Model	VAC-30- 16
Make	Kashyap Engineering Company
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Mini centrifuge for 1.5 ml tubes, minispin
UID	BKLWRMC/VRDL/EQUIP/MINISPIN/01


DEAN

Serial No	ZGGN12531
Model	RM02-plus
Make	REMI
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	Range - 500 - 6000 RPM, Accuracy +/- 25 RPM
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Mini centrifuge for 0.2 ml PCR tube rotor
UID	BKLWRMC/VRDL/EQUIP/MINISPIN/02
Serial No	20CDM0131
Model	CAT1010
Make	Tarson
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	DEEP Freezer- 20 C Medical grade 600lit
UID	BKLWRMC/VRDL/EQUIP/200DF/01
Serial No	9043268
Model	GN650BTM
Make	Cel Frost
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	DEEP Freezer- 20DEG Medical grade 600lit.
UID	BKLWRMC/VRDL/EQUIP/200DF/02
Serial No	8152494
Model	GN650BTM
Make	Cel Frost
Year of Make	2020
Receipt date & date placed in Service	17 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Laboratory refrigerator 300 lit Reagent freeze for storage, transparent door for view 320 lit
UID	BKLWRMC/VRDL/EQUIP/REFRG/01
Serial No	FK43202001002


DEAN

Model	FKG 320
Make	Cel Frost
Year of Make	2020
Receipt date & date placed in Service	01 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Laboratory refrigerator 300 lit Reagent freeze for storage, transparent door for view 320 lit
UID	BKLWRMC/VRDL/EQUIP/REFRG/02
Serial No	180800151
Model	FKG 320
Make	Cel Frost
Year of Make	2020
Receipt date & date placed in Service	01 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Centrifuge 5424R (Refrigerated)
UID	BKLWRMC/VRDL/EQUIP/CC/01
Serial No	5404JM943312
Model	J450490M
Make	Eppendorf
Year of Make	2019
Receipt date & date placed in Service	24 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Centrifuge 5424R (Refrigerated)
UID	BKLWRMC/VRDL/EQUIP/CC/02
Serial No	5404JM943317
Model	J450490M
Make	Eppendorf
Year of Make	2019
Receipt date & date placed in Service	24 Sep 2020
Range and Accuracy	NA
Date of last Calibration	20 Nov 2021
Calibration Due on	19 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	Automated RNA Extraction System
UID	BKLWRMC/VRDL/EQUIP/RNAEXT/01
Serial No	E200446
Model	Genetix Model â€” Purifier 32


DEAN

Make	GenetixBiotech Asia PVT LTD
Year of Make	2021
Receipt date & date placed in Service	03 May 2021
Range and Accuracy	NA
Date of last Calibration	03 May 2021
Calibration Due on	03 May 2023
Calibrated by	External
Name of Calibration Agency	GenetixBiotech Asia PVT LTD
Name of Equipment	STATIC PASSBOX (2020)
UID	BKLWRMC/VRDL/EQUIP/PB/01
Serial No	N/A
Model	Jet Tuff
Make	Kashyap Engineering Company
Year of Make	2017
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	>40 uw/cm ²
Date of last Calibration	21 Nov 2021
Calibration Due on	20 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals
Name of Equipment	STATIC PASSBOX (2020)
UID	BKLWRMC/VRDL/EQUIP/PB/02
Serial No	N/A
Model	Jet Tuff
Make	Kashyap Engineering Company
Year of Make	2017
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	>40 um/cm ²
Date of last Calibration	21 Nov 2020
Calibration Due on	20 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	STATIC PASSBOX (2020)
UID	BKLWRMC/VRDL/EQUIP/PB/03
Serial No	N/A
Model	Jet Tuff
Make	Kashyap Engineering Company
Year of Make	2017
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	>40 um/cm ²
Date of last Calibration	21 Nov 2021
Calibration Due on	20 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	STATIC PASSBOX (2020)
UID	BKLWRMC/VRDL/EQUIP/PB/04
Serial No	N/A
Model	Jet Tuff
Make	Kashyap Engineering Company
Year of Make	2017



DEAN

Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	>40 um/cm2
Date of last Calibration	21 Nov 2021
Calibration Due on	20 Nov 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Multichannel Micropipette 05 - 10 ul
UID	BKLWRMC/VRDL/EQUIP/MCHPT/01
Serial No	L38360J
Model	Eppendorf 3120000.844
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	Range: 0.5-10 ul
Date of last Calibration	21 Dec 2021
Calibration Due on	20 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci-Fi Biologicals, Pune
Name of Equipment	Micropipette 10 - 100 Åµl (Multi channel)
UID	BKLWRMC/VRDL/EQUIP/MCHPT/02
Serial No	K44949J
Model	3120000.844
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	Range: 10-100 ul
Date of last Calibration	21 Dec 2021
Calibration Due on	20 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune
Name of Equipment	Micropipette 30 -300 Åµl (Multichannel channel)
UID	BKLWRMC/VRDL/EQUIP/MPHPT/03
Serial No	K88007J
Model	Eppendorf 3120000.844
Make	Eppendorf
Year of Make	2020
Receipt date & date placed in Service	14 Sep 2020
Range and Accuracy	Range: 30-300 ul
Date of last Calibration	21 Dec 2021
Calibration Due on	20 Dec 2022
Calibrated by	External
Name of Calibration Agency	Sci Fi Biologicals Pune

Reference Material

Details	Data Fedded by Lab
Discipline: Molecular Testing	
Name of Reference Material/Strain/Culture	Synthetic Positive control
Type of Test	SARS CoV-2 RNA Qualitative
Source	Positive Plasmid CLONE
Date of Expiry	31 May 2023

DEAN

Traceability	RNASure Virus Kit (catalog numbers NP-67703, 67705, 67706 and 67707).
Name of Reference Material/Strain/Culture	Synthetic Positive control
Type of Test	H1N1 A RNA Qualitative
Source	Positive Plasmid CLONE
Date of Expiry	30 Sep 2021
Traceability	WHO/CDC Protocols

Proficiency Testing

Details	Data Feeded by Lab
Discipline: Molecular Testing	
Type of Participation	PT
Details of Test(s)/ examination	SARS CoV-2 (Covid-19) RNA detection by RTPCR Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM
Date of Testing/ examination	24 Feb 2021
Organizing Body	ICMR, NIV Pune
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	SARS CoV-2 (Covid-19) RNA detection by RTPCR Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM
Date of Testing/ examination	26 Nov 2021
Organizing Body	Virology Research and Diagnostic Laboratory, BKL Walawalkar Rural Medical College, Chiplun
Number of Lab Participated	1
Name and City of Participating Lab	Molecular Virology Laboratory, Ashwini Rural Medical College, Solapur
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	SARS CoV-2 (Covid-19) RNA detection by RTPCR Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM
Date of Testing/ examination	25 Oct 2021
Organizing Body	NIV, Pune
Number of Lab Participated	1
Name and City of Participating Lab	Virology Research and Diagnostic Laboratory, BKL Walawalkar Rural Medical College, Chiplun
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	H1N1 A RNA Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM
Date of Testing/ examination	25 Jun 2021
Organizing Body	Virology Research and Diagnostic Laboratory, BKL Walawalkar Rural Medical College, Chiplun
Number of Lab Participated	1
Name and City of Participating Lab	Molecular Virology Laboratory, Ashwini Rural Medical College, Solapur


 DEAN

Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	SARS CoV-2 (Covid-19) RNA detection by RTPCR Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM
Date of Testing/ examination	11 Jun 2021
Organizing Body	NIV, Pune
Number of Lab Participated	1
Name and City of Participating Lab	Virology Research and Diagnostic Laboratory, BKL Walawalkar Rural Medical College, Chiplun
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	SARS CoV-2 (Covid-19) RNA detection by RTPCR Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM
Date of Testing/ examination	23 Mar 2021
Organizing Body	NIV, Pune
Number of Lab Participated	1
Name and City of Participating Lab	Virology Research and Diagnostic Laboratory, BKL Walawalkar Rural Medical College, Chiplun
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	ILC
Details of Test(s)/ examination	H1N1 A RNA Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM
Date of Testing/ examination	02 Dec 2020
Organizing Body	Virology Research and Diagnostic Laboratory, Chiplun
Number of Lab Participated	1
Name and City of Participating Lab	Krsnaa Diagnostics, Pune
Performance in Terms of Z Score / Any Other Criteria	Results matched
Corrective Action (If required)	
Type of Participation	PT
Details of Test(s)/ examination	H1N1 A RNA Qualitative
Product/Material	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM
Date of Testing/ examination	09 Nov 2020
Organizing Body	National Institute of Virology (NIV), Pune
Performance in Terms of Z Score / Any Other Criteria	Out of 5 coded samples received from NIV, Pune, results are concordant in 4 samples. In one sample the result is discordant.
Corrective Action (If required)	In case of sample showing discordant result, NIV Pune identified the virus as Influenza B (Yamagata). It is not in the scope of our laboratory. Our Laboratory scope is limited to Qualitative detection of H1N1 RNA. So it could not be detected by our lab.

Payment Information

S. No	Transaction Date Time	Transaction ID	Transaction Amount	Transaction Mode	Transaction Status

DEAN

1	12/2/2022 2:56:31 PM	22120255143122786	22066	success
---	----------------------	-------------------	-------	---------

Declaration Report

Terms & Conditions for Obtaining and Maintaining NABL Accreditation

The terms and conditions mentioned in this document is considered as accreditation agreement between NABL and Conformity Assessment Body (CAB). By accepting these terms and conditions, it is implied that a CAB as an applicant and after obtaining accreditation agrees to comply at all times with all Terms and Conditions for NABL Accreditation. Any violation of this terms and conditions (Accreditation agreement) shall result in adverse decision as per NABL 216 "Procedures for Dealing with Adverse Decisions" including legal action.

The Conformity Assessment Body {Testing Laboratory/ Calibration Laboratory/ Medical Testing Laboratory/ Proficiency Testing Provider (PTP)/ Reference Material Producer (RMP)} that are applicant or accredited by NABL shall be required to fulfill the following terms and conditions:

1. The Conformity Assessment Body (CAB) shall carry out its Testing / Calibration / Medical/PTP / RMP activities in such a way as to meet the requirements of ISO/IEC 17025/ ISO15189/ ISO/IEC 17043/ ISO 17034 whichever is applicable, relevant NABL specific criteria (wherever applicable) and other policies of NABL.
2. CAB shall ensure that the latest versions of NABL documents are available with them and are effectively implemented.
3. CAB shall familiarize themselves with all relevant standards, NABL documents etc. applicable for particular accreditation scheme.
4. The CAB shall have a valid legal identity as given below.
 - a. Proprietorship (Bank passbook/ Account statement and PAN of the CAB)
 - b. Limited Liability Partnership (Registration certificate under The Limited Liability Partnership Act, 2008)
 - c. Company (Registration certificate under The Companies Act, 1956 or 2013)
 - d. Societies/ Trust (Registration certificate under Societies Registration Act, 1860/ Registration under The Indian Trusts Act, 1882)
 - e. Government (Gazette or Government Notification or self-Declaration on Letterhead by Head of the organization)
5. It is the responsibility of CAB to abide by the National/ Regional/ State/ Local regulatory requirement/ Acts/ Rules/ Legal orders/ Court Decisions/ Orders issued by Government/ Statutory Bodies as applicable and effective from time to time.
6. The CAB shall identify and define various activities which they are involved in, and ensure that it does not lead to any potential conflict of interest.
7. The CAB shall have qualified and trained personnel for applied/ accredited scope including sampling (wherever applicable), person declared by CAB to NABL who is responsible to report, review and authorize the results who meet the requirements of relevant NABL specific criteria (wherever applicable) for each field / discipline of accreditation.
8. The CAB shall have qualified and trained personnel who is responsible for formulating opinion and interpretation in the report/ certificate (wherever applicable).
9. Wherever applicable, the CAB shall follow the test methods as mentioned in the current National or International standards and as stipulated by regulatory bodies. Where such methods do not exist, other validated methods are acceptable. In case CAB uses in-house validated methods, the validation data should be submitted along with the application.
10. Applicant CAB shall successfully participate in at least one PT program prior to gaining accreditation in each discipline applied. Requirements specified in NABL 163 shall be followed for PT participation.
11. CAB shall submit the completed application for renewal of accreditation six months prior to the expiry of accreditation and also agree to undergo assessment as per the schedule proposed by NABL to maintain continuity in accreditation cycle. Application submitted after expiry of accreditation will be considered as fresh application.
12. The CAB shall offer cooperation to NABL or its representative in:
 - a. Undergoing assessments in stipulated time intervals / whenever NABL considered it as required.
 - b. Access to all CAB areas of operations including Mobile/ temporary, site facility, subcontractor premises, wherever relevant and applicable.
 - c. Undertaking any check / inspection to verify the capability of the CAB for the applied / accredited scope.
 - d. Witnessing the activities being performed relevant to accreditation.
 - e. Assessing the competence of the staff (including staff working in shift operations / at site) during assessment.
 - f. Access to all relevant information and documentation
 - g. Access to those documents that provide insight into the level of independence and impartiality to the CAB from its related bodies, if applicable.
 - h. Access to all records pertaining to relevant personnel.
 - i. Assessing the competence of the persons who are responsible to report, review and authorize the results,
 - j. Assessing the competence of the persons who are responsible for opinion and interpretation,


DEAN

- k. Unannounced visit.
l. Investigating any complaints related to NABL accreditation, against the CAB.

13. During the accreditation period, the CAB shall claim accreditation in only those premises, and scope for which it has been accredited (as stated in Accreditation Certificate and scope of Accreditation).
14. Accredited CAB shall adhere to NABL 133™ for the use of NABL symbol, use of NABL Accredited CAB Combined ILAC MRA Mark as well as any claim of accreditation of the CAB. CAB shall ensure that it fully conforms to the requirements of NABL and ISO/IEC 17025 / ISO 15189 / ISO/IEC 17043 / ISO 17034 for claiming accreditation status while making reference of its NABL accreditation in communication media. Actions like suspension, debar, legal action etc. may be taken in case of violation of NABL 133.
15. CAB shall use NABL accredited CAB Combined ILAC MRA Mark only after obtaining written permission from NABL.
16. Accredited CAB shall make it clear in all its contracts with customers that its activities falling under accredited scope in no way imply that the product so tested or equipment calibrated is approved by NABL.
17. The accredited CAB is neither allowed to make misleading / unauthorized statement regarding its accreditation nor refer to accreditation in such a way so to imply that a product, process, service, management system or person is approved by NABL.
18. The CAB shall pay application fees for accreditation, re-accreditation; expenses towards travel, boarding & lodging for any kind of assessment including supplementary visit, on-site surveillance, desktop surveillance, re-assessment and annual accreditation fees as shall be determined from time to time, by NABL.
19. The CAB shall inform NABL without delay of significant changes affecting the CAB's activities and operations relevant to accreditation, such as:
 - a. its legal, commercial, ownership or organizational status,
 - b. resources and premises,
 - c. scope of accreditation,
 - d. sub-contractor addition (RMP), and
 - e. other such matter that may affect the ability of the CAB to fulfill the requirements of NABL accreditation including policies, ISO/IEC 17025 or ISO 15189 or ISO/IEC 17043 or ISO 17034 whichever is applicable.
20. The CAB shall inform NABL within 15 days of changes, such as:
 - a. the organization top management, key personnel including sampler (where applicable), person responsible for report, review and authorizing the results,
 - b. main policies, and
 - c. any change in the Sample Collection Centre/ Facility (ies) to NABL.
21. The CAB shall regularly visit NABL website to keep itself updated with the latest versions of NABL documents.
22. CAB shall always have a dedicated person responsible for implementation of Management System.
23. The CAB shall unambiguously declare the name of any individual and organization that has provided consultancy for preparing towards NABL accreditation.
24. Where a CAB subcontracts a substantial or critical part of the accredited activities that work shall be placed with another accredited CAB only.
25. The accredited CAB shall commit to comply with the changes initiated by NABL in its accreditation criteria, policies and procedures. The CAB shall inform NABL when such alterations under the agreed time frame have been completed.
26. The CAB shall take all necessary actions and discharge all non-conformities raised during the assessment within the stipulated time to avoid any adverse decisions against it as detailed in NABL 216™. The same shall be verified to the satisfaction of NABL. The final decision on accreditation shall rest with NABL.
27. CAB shall not use its NABL accreditation in such a manner as to bring NABL into disrepute.
28. CAB shall not claim NABL accreditation after shifting premises, till communication on grant at new premises is done by NABL.
29. At any point in the application or initial process, if there is an evidence of fraudulent behaviour and/ or if the CAB has intentionally provided false information or conceals information, NABL shall reject the application or terminate the assessment process.
30. If an evidence is found of fraudulent behaviour or the CAB intentionally provides false information or conceals information, NABL shall initiate adverse action as per NABL 216.
31. The accredited CAB upon suspension, withdrawal of accreditation or debar from reapplying (however determined) shall forthwith discontinue claim of accreditation in any form in all advertising material and return the accreditation certificates to NABL.
32. CAB shall inform its affected clients of the suspension, scope reduction, withdrawal of accreditation or debar from reapplying and the associated consequences without undue delay.
33. The accredited CAB can relinquish accreditation by giving notice in writing to NABL by surrendering the accreditation certificates after clearing the outstanding amount, if any.
34. The CAB shall inform NABL, if any of the proposed assessor(s) happens to be their Consultant or associated with the CAB in any other capacity (personal or professional).
35. NABL absolves itself of any legal or financial liability arising out of activities of any of its accredited CAB involving any accidental or consequential damages to personnel/equipment/products at any time.

DEAN

36. CAB shall not offer any gifts or any kind of payments in cash or any undue favour to the assessment team members. In case of any violation, NABL shall suspend the accreditation of the CAB as per NABL 216.
37. The application shall be kept confidential (unless required by law) by NABL and information obtained during the processing of application, assessment visit and grant of accreditation shall be safeguarded and dealt with impartiality.
38. CAB shall offer co-operation to NABL assessment team in carrying out unannounced assessment as a part of continuous monitoring activity by NABL for its accredited CABs.
39. CAB shall ensure the capability w.r.t. applied scope for accreditation (availability of resources such as personnel, equipment, CRM, method validation etc.) before applying to NABL.

By accepting these terms and conditions, it is implied that a CAB as an applicant and after obtaining accreditation agrees to comply at all times with all Terms and Conditions for Obtaining and Maintaining NABL Accreditation. Any violation of these terms and conditions (arrangement) shall result in adverse decision as per NABL 216 "Procedures for Dealing with Adverse Decisions"™ including legal action.

Dispute, if any, arising out of NABL decisions that remain unresolved through mechanism provided by NABL are subject to the exclusive jurisdiction of the Courts at New Delhi and none other.

We declare that

1. We are familiar with the terms and conditions of maintaining accreditation (NABL 131), which is enclosed and will abide by them.
2. We will maintain strict confidentiality of personal sensitive data. This information will not be shared with any other person, agency or organization (unless required by law).
3. We have declared all sources (100%) of samples.
4. We have declared all business and marketing associations/ contracts with other persons/ agency or organizations.
5. We have conducted internal audit of our Sample Collection Centre(s)/ facility(ies) at least once during the last one year.
6. We agree to comply fully with ISO 15189:2012 and relevant specific criteria for the accreditation of testing laboratory and associated Sample Collection Centre(s)/ facility(ies).
7. We agree to comply with accreditation procedures, pay all costs for pre-assessment, assessment, verification visit (if any), surveillance and reassessment irrespective of the result.
8. We agree to co-operate with the assessment team appointed by NABL for examination of all relevant documents by them and their visits to those parts of the laboratory that are part of the scope of accreditation.
9. We agree to satisfy all national, regional and local regulatory requirements for operating a laboratory.
10. We have declared the Information regarding any individual or organization who has provided consultancy (if any).
11. We have declared about the adverse action initiated / taken by NABL against the laboratory in the past, if any. We have also provided information about the owners (proprietor partners, shareholders or Directors) or their family members were part of another laboratory against whom an adverse decision was taken by NABL in last 10 years. (Note: Family members include brother/sister, father/mother, wife/husband, son/daughter).
12. Self-declaration shall be submitted by the laboratory on the basis of the internal audit conducted by them, to confirm to NABL that their Sample Collection Centre(s)/ facility(ies) are complying with NABL norms and relevant clauses of ISO 15189.
13. All information provided in this application is true.

Declaration by the Laboratory Shareholders and Directors

14.

[Download](#)

—————End Of Report—————


DEAN

Lab: VIROLOGY RESEARCH AND DIAGNOSTIC LABORATORY, BKL WALAWALKAR RURAL MEDICAL COLLEGE, RATNAGIRI, Ratnagiri **Lab Type:** Medical **Lab ID:** M-2709

Current Application: Renewal of Accreditation **Current Stage:** Response on NABL Findings of Application submitted and under NABL Review

Certificate No: MC-3997 **Validity:** 09/12/2020 to 08/12/2022 **Dealing Officer:** Chandrakant Solanki

[Dealing Officer Profile](#)

[CAB Contact Details](#)

[Current Applications](#)

[Archive Applications](#)

Lab ID	Applicaton Type	Date of Creation	Status	Submitted On	
M-2709	First Accreditation	17 Oct 2020 16:56:49:800	Accreditation Certificate Issued	11 Nov 2020 18:30:04:620	view details
M-2709	Onsite Surveillance	01 Dec 2021 11:55:00:063	Accreditation Certificate Issued	01 Dec 2021 17:18:19:097	view details
M-2709	Renewal of Accreditation	01 Dec 2022 10:24:20:283	Response on NABL Findings of Application submitted and under NABL Review	02 Dec 2022 15:01:08:910	view details

© 2023 - National Accreditation Board for Testing and Calibration Laboratories (NABL)

Designed by : 7techies (<http://www.7techies.com/>)

[Privacy Policy \(PrivacyPolicy\)](#) || [Disclaimer \(Disclaimer\)](#) || [Refund and Cancellation \(Refund\)](#)


DEAN

B.K.L.Walawalkar Rural Medical College
Al.Kasarwadi, Post.Sawarde
Tal.Chiplun,Dist.Ratnagiri

Dashboard.

Lab: VIROLOGY RESEARCH AND DIAGNOSTIC LABORATORY, BKL WALAWALKAR RURAL MEDICAL COLLEGE, RATNAGIRI, Ratnagiri **Lab Type:** Medical **Lab ID:** M-2709 **Dealing Officer:** Chandrakant Solanki

[Dealing Officer Profile](#)

[< Back \(../viewApplication.aspx\)](#)

[Payment Details/Invoice \(PaymentDetails\)](#)

[Terms and Conditions \(NABL 131\)](#)

Current Status: Response on NABL Findings of Application submitted and under NABL Review



Next Action :

[Report DashBoard \(Dashboard\)](#)

Remarks

Email Notifications

Remark By	Remark Date	Remark
-----------	-------------	--------

Email To	Subject	Message	Send Date
----------	---------	---------	-----------


DEAN

prasannanakate@gmail.com	NABL Notification for User Name nabl018042	Dear Sir/Madam, Your application has been submitted to NABL successfully. Portal Team supportwp@nabl.qcin.org	12/2/2022 3:02:51 PM
prasannanakate@gmail.com	NABL Notification for Lab ID M-2709	Dear Applicant, Some action is performed on your application on NABL portal. Kindly login on NABL portal to check the same. Regards, Portal Team supportwp@nabl.qcin.org Login Url: http://nablwp.qci.org.in	12/23/2022 4:32:41 PM

© 2023 - National Accreditation Board for Testing and Calibration Laboratories (NABL)



DEAN

B.K.L. Walawalkar Rural Medical College
ALKasarwadi, Post.Sawarde
Tal.Chiplun, Dist.Ratnagiri



सूचना का
अधिकार
RIGHT TO
INFORMATION

दूरभाष/TEL : 26962819, 26567373
(EPABX) : 26565694, 26562133
: 26565687, 26562144
: 26562134, 26562122
फैक्स/FAX : 26960629, 26529745
Website : <http://www.dsir.gov.in>



सत्यमेव जयते

भारत सरकार
विज्ञान और प्रौद्योगिकी मंत्रालय
वैज्ञानिक और औद्योगिक अनुसंधान विभाग
टेक्नोलॉजी भवन, नया महरौली मार्ग,
नई दिल्ली - 110016

GOVERNMENT OF INDIA
MINISTRY OF SCIENCE AND TECHNOLOGY
Department of Scientific and Industrial Research
Technology Bhavan, New Mehrauli Road,
New Delhi - 110016



F.No. 14/752/2018-TU-V

Date: 9th September 2021

**The Managing Trustee
Shri Vithalrao Joshi Charities Trust's
B.K.L. Walawalkar Hospital & Rural Medical College,
A/P Kasarwadi, Sawarde,
Taluka – Chiplun,
District Ratnagiri – 415606, Maharashtra**

Subject: Renewal of Recognition of Scientific and Industrial Research Organisations (SIROs).

Dear Sir,

This has reference to your application for renewal of recognition of **Shri Vithalrao Joshi Charities Trust's B.K.L. Walawalkar Hospital & Rural Medical College, Chiplun, District Ratnagiri, Maharashtra** as a Scientific and Industrial Research Organisation (SIRO) by the Department of Scientific and Industrial Research under the Scheme on Recognition of Scientific and Industrial Research Organisations (SIROs), 1988.

2. This is to inform you that it has been decided to accord renewal of recognition to **Shri Vithalrao Joshi Charities Trust's B.K.L. Walawalkar Hospital & Rural Medical College, Chiplun, District Ratnagiri, Maharashtra** from **01.04.2021 to 31.03.2024**. The recognition is subject to terms and conditions mentioned overleaf.

3. Receipt of this letter may kindly be acknowledged.

Yours faithfully,


(Dr. P.K. Dutta)
Scientist - 'F'


DEAN

INVOICE

QUALITY COUNCIL OF INDIA

2ND FLOOR, INSTITUTION OF ENGINEERS,
BAHADURSHAH ZAFAR MARG,
NEW DELHI - 110 002,
TELEFAX - 2337 9321 / 9621,
GSTIN/UIN: 07AAATQ0055D1Z0,
State Name: Delhi, Code: 07,
E-Mail: accounts@qcin.org

Buyer

HCO/2022/09928

**Shri. Vithalrao Joshi Charities Trust's B. K. L. Walawalkar Hospital
Diagnostic & Research Center**

Shreekshetra Dervan, Kasarwadi Sawarde, Chiplun, Maharashtra

GSTIN/UIN: 27AABTS7103H1ZK

PAN : AABTS7103H

Kind attn: Dr. Asawari Rupchand Modak

State Name: Maharashtra, Code: 27

Invoice No. HOPE/22-23/IG/7315	Dated 24-Nov-2022
Delivery Note	Mode/Terms of payment
Supplier's Ref.	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Delivery Note No.
Despatched through	Destination
Terms Of Delivery	

Sl. No.	Particulars	HSN/SAC	Quantity	Rate	per	Amount
1	NABH-Entry Level Certification Application Fee	998311				52000.0
	<i>Application Fee</i>					
2	OUTPUT IGST @ 18%			18	%	9360.00
	Total					61360.00

Amount Chargeable (in words)

E. & O.E

Indian Rupees Sixty One Thousand Three Hundred And Sixty only

HSN/SAC	Taxable		Integrated Tax		Total
	Value	Rate	Amount	Tax Amount	
998311	52000.0	18%	9360.00	9360.00	
Total	52000.0		9360.00	9360.00	

Tax Amount (in words) : **Indian Rupees Nine Thousand Three Hundred And Sixty only**

Company's PAN **AAATQ0055D**

Declaration

Note: Please intimate to accounts@qcin.org after making the payment with UTR number and date

for QUALITY COUNCIL OF INDIA

Authorised Signatory

DEAN

This is Computer Generated Invoice

No.: NABH-RV-09928

Dated 24-Nov-2022

QUALITY COUNCIL OF INDIA - (F Y 22-23)

2ND FLOOR, INSTITUTION OF ENGINEERS
BAHADURSHAH ZAFAR MARG
NEW DELHI - 110 002
TELEFAX - 2337 9321 / 9621
State Name : Delhi, Code : 07
E-Mail : accounts@qcin.org

Receipt (NABH) Voucher

Received with thanks from : HCO/2022/09928
Shri. Vithalrao Joshi Charities Trust's B. K. L. Walawalkar Hospital Diagnostic & Research Center

PAN : AABTS7103H
GST : 27AABTS7103H1ZK
Maharashtra
Ratnagiri

The sum of : Indian Rupees Sixty One Thousand Three Hundred And Sixty only
Transaction Details : Being Amount received for HCO/2022/09928 dated 24-Nov-2022 Txn Id 111717632344

**** Rs. 61360.00/-**

Authorised Signatory

**Subject to Realisation


DEAN

This is computer generated receipt

B.K.L.Walawalkar-Rural-Medical-College
Al.Kasarwadi, Post.Sawarde
Tal.Chiplun,Dist.Ratnagiri

CERTIFICATE



Quality Management System of:

BKL Walawalkar Hospital, Diagnostic & Research Centre

Sawarde, Kasarwadi,
Taluka Chiplun,
Dist. Ratnagiri-415 606
Maharashtra, India

Has been assessed and found to meet the registration requirements of:

ISO 9001:2015

The certificate is valid for the following scope of operation:

Provision of Comprehensive Patient Care

Certificate Registration No. : F004319

Date of Initial Approval : 18.06.2019

Issue No. : 01

Date of 1st Surveillance Due : 18.05.2020

Date of Issue : 18.06.2019

Date of 2nd Surveillance Due : 18.05.2021

*Date of Expiry : 17.06.2022

AGQR Certifications Private Limited

CB Address: A-6, 2nd Floor, A.P. Abhinava, Kavimani Salai, Mogappair West, Chennai-600 037
Ph: 044 2653 5631 / www.agqrcertifications.com

AGQR is Accredited by Singapore Accreditation Services for Certification Bodies (SACB), Singapore

*This Certificate is valid for three years subject to the successful completion of two annual surveillance audits. Please Check / Re-check the validity at the above mentioned CB / Accreditation Board Address or Website

This Certificate remains the proprietary of AGQR Certifications Private Limited and shall be returned immediately upon request. This issue of the certificate does not bestow any legal Right



DEAN

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्तिफिकेट
Certificate of Registratrtration under Section 5 of the Bombay Nursing homes
Registratrtration Act 1949.
(नियम ५ अन्वये)(Under Rule 5)

क्रमांक :

No. : 2143

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये डॉ.श्रीमती.सुवर्णा नेताजी पाटील, संचालिका श्री.विठ्ठलराव जोशी चॅरीटीज् ट्रस्टचे बी.के.एल. वालावलकर हॉस्पिटल डायग्नोस्टिक आणि रिसर्च सेंटर मु.पो.सावर्डे ता.चिपळुण जि.रत्नागिरी येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यांत येत आहे.

This is to certify that Shri / Smt. **DR. SUVARNA NETAJI PATIL, DIRECTOR** Has been registered under the Bombay Nursing Homes Registratrtration Act 1949 in respect of **SHRI.VITHALRAO JOSHI CHARITIES TRUST'S B. K. L. WALAWALKAR HOSPITAL DIAGNOSTIC & RESEARCH CENTER** Situated at **AT - POST - DERVAN SAWARDE, TAL- CHPLUN , DIST- RATNAGIRI** and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्रमांक :	प्रसूतीसाठी	खाटा
Registratrtration No. : 42	Maternity	60 BEDS
रजिस्ट्रेशन दिनांक :	इतर रुग्णांसाठी	खाटा
Date of Registratrtration - 26/03/2021	Other Nursing Patients	540 BEDS

ठिकाण Place **AT - POST - DERVAN SAWARDE, TAL- CHPLUN , DIST- RATNAGIRI**

सर्तिफिकेट दिल्याचा दिनांक :-

Date of Issue of Certificate - 26/03/2021

सदरचे सर्तिफिकेट दिनांक ३१ मार्च २०२४ पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid upto **31 March, 2024.**

DATE - 26/03/2021
PLACE - RATNAGIRI.



DISTRICT HEALTH OFFICER
ZILLA PARISHAD RATNAGIRI.
District Health Officer
Zilla Parishad, Ratnagiri

DEAN



Food & Drugs Administration (Maharashtra State)

Letter No: MH/RAT/RNW/28C-/KD/15
Food & Drugs Administration, KONKAN Division
OFFICE OF JOINT COMMISSIONER [K.D]
4TH FL.ESIC BLD,WAGLE ESTATE
Thane - 400604

License Renewal With Products

Validity Period:01/01/2022 To 31/12/2026

To :
732486- SHREE SWAMI SAMARTH BLOOD BANK (Trust)
BKL WALAWALKAR HOSPITAL, DERVAN, CHIPLUN - 415606
Taluka: Chiplun, District: RATNAGIRI

LICENSE No : **28C-KD/15**
& Dt : **16/03/2022**

Sir,

Ref :- Your Inward Application vide Inward ID:- 187320 (RNW) Dated :- 26/11/2021

With reference to your Inward application,we inform you that your said application is considered & following
LICENSE has been **RENEWED**

Type	Form	LIC No / Validity	First Issue / Rnw
Own: At my OWN Manufacturing Premises	28C	KD/15 31/12/2026	30/05/2000 01/01/2022

Prod	Name of Drugs	
1. 400145	P.C.V., FFP, Platelets, CryoPrecipitate	N.A (IP)

PAN No.	Staff Name	Section	Designation	Qual
*****933E	DR. MADHAV VYANKATESH ZUNJARWAD	WHOLE HUMAN BLOOD & COMPONENTS	B.T.O.	MBS
*****357B	DR. RAJASHREE KULKARNI	Blood Prd-Quality Assurance, Whole Human Blood	BTO	M.D
*****429P	DR. SUNITA MADHAV ZUNJARWAD	WHOLE HUMAN BLOOD & COMPONENTS	B.T.O.	MBS
*****157P	DR. VASANT KRISHNA SHINDE	WHOLE HUMAN BLOOD & COMPONENTS	BTO	MBS
*****899C	MR. PRITAM GAVALI	Blood Prd-Quality Assurance, Serological Lab , Whole Human Blood	Technical Supervisor	BSC
*****492P	MR. RAVIPRAKASH PANSARI (AGRAWAL)	WHOLE HUMAN BLOOD & COMPONENTS, Whole Human Blood	Technical Supervisor	BSC
*****772L	VIKRANT VIRAJ BHAGWAT	WHOLE HUMAN BLOOD & COMPONENTS	Blood bank Technician	BSC

This License has been RENEWED wef 01/01/2022 and valid up to 31/12/2026

Terms and Conditions

- 1) Licensee should comply with all the provisions of Drugs & Cosmetics Act, 1940 & Rules 1945 as amended up to dt.
- 2) Licensee should comply with all the provisions of Drugs (Price Control) Order 2013 as amended up to dt (wherever applicable).
- 3) Licensee should abide by all the provisions of Drugs & Magic Remedies (Objectionable Advertisement) Act, 1954 & Rules 1955 as amended up to date
- 4) Licensee should not manufacture any drug/cosmetic by a name belonging to another manufacturer
- 5) Licensee should not manufacture or sell drugs/cosmetics even if it is included in the approved list of product, if it is or as and when banned by Licensing Authority or Drugs Controller General of India or Government of India.
- 6) The permission is granted subject to the condition that, the product is safe, for use in context of pharmaceutical Aids, Additions and excipient used in the formulation
- 7) Any addition thereto or any deletion therefore will not be carried out without permission of Licensing Authority

DEAN

Fee Payment(s) : DB-Id: 404555 - 26/11/2021 (Amt: 12700) (MH008564941202122U) ,Balance : 0

B.K.L.Walawalkar Rural Medical College
At,Kesarwadi, Post,Sawarde
Tal:Chiplun,Dist:Ratnagiri

This License/Certificate is eSIGNED. Physical Signature is NOT Required

No. of Products: 1, No. of Ingredients: 0

Division	MFG ID No	Type:License Renewal	License No	Issue Date
KONKAN (RAT)	732486	RNW-187320-26/11/2021	28C-KD/15	16/03/2022

For online Third Party Approval Verification;Go to fdamfg.maharashtra.gov.in & Click TPAV

Pg: 1 / 2 06/12/22

N I C

eSign
Digitally Sign

DUSHYANT BHAMRAY
e-Signed on 16-03-2022 17:07

TPAV # PN8L1F9J55



D. M. BHAMRAY
Licensing Authority
Food & Drugs Administration
KONKAN Division, Maharashtra State

(Central Licence Approving Authority)

Applicant :
SHREE SWAMI SAMARTH BLOOD BANK (732486)
BKL WALAWALKAR HOSPITAL, DERVAN, CHIPLUN - 415606
Taluka: Chiplun, District: RATNAGIRI



DEAN

B.K.L. Walawalkar Rural Medical College
Al. Kasarwadi, Post. Sawarde
Tal. Chiplun, Dist. Ratnagiri

Fee Payment(s) : DB-Id: 404555 - 26/11/2021 (Amt: 12700) (MH008564941202122U) ,Balance : 0

This License/Certificate is eSIGNED. Physical Signature is NOT Required

No. of Products: 1, No. of Ingredients: 0

Division	MFG ID No	Type:License Renewal	License No	Issue Date
KONKAN (RAT)	732486	RNW-187320-26/11/2021	28C-KD/15	16/03/2022

For online Third Party Approval Verification;Go to fdamfg.maharashtra.gov.in & Click TPAV

Pg: 2 / 2 06/12/22

N I C




Certificate of Appreciation


This certificate is awarded to

Shri. V.J.C. Trust B.K.L. Walawalkar Hospital

in recognition of adherence to the Quality Certification standards of Integrated Ayushman
Bharat - Pradhan Mantri Jan Arogya Yojna & Mahatma Jyotirao Phule Jan Arogya Yojna

Date


Shivanand Taksale (IAS)
Chief Executive Officer
State Health Assurance Society


Name: (M. Devender Singh)
District Collector Ratnagiri.
District:



MAHARASHTRA MEDICAL COUNCIL, MUMBAI

No.MMC / CME / Accre/162 / 2010

Dated 26/11/2010

CERTIFICATE OF ACCREDITATION

This to certify that, B.K.L.WALAWALKAR HOSPITAL
DIAGNOSTIC & RESEARCH CENTRE, CHIPLUN

is accredited by Maharashtra Medical Council for conducting CME Programmes/
Workshops / Seminars / Short Courses / Conferences.



Dr. D. N. Lanjewar
Administrator
Maharashtra Medical Council

DEAN

This certificate is valid for 5 years from the date of issue.